

[Get a Quote](#)

Overview

Cisco Catalyst 2960 Compact 8 ports LAN Base switch supports easy deployment and reduces cabling costs. They help to extend services whenever and wherever you want.

Quick Specs

Figure 1 shows the appearance of WS-C2960C-8TC-L.



Table 1 shows the Quick Specs.

Product Code	WS-C2960C-8TC-L
Feature Set	LAN Base
Uplink Interfaces	2 x 1G copper or 2 x 1G SFP
Ports	8 x 10/100 Fast Ethernet
Forwarding Bandwidth	10 Gbps
RAM	128 MB
Flash Memory	64 MB
Dimensions	4.6cm x 26.9cm x 23.9cm
Package Weight	4.38 Kg

Product Details

Figure 2 shows the front panel of WS-C2960C-8TC-L.



Note: (1)Mode Button (2)Mini USB Port (3) Console Port (4)8 x 10/100 Fast Ethernet Ports (5) 2 x 1G copper or 2 x 1G SFP

Figure 3 shows the back panel of WS-C2960C-8TC-L.



Note: (1)Power Connector

The Accessories

Table 2 shows some recommended cables and SFP modules.

Models	Descriptions
CAB-CONSOLE-USB	Cisco CAB-CONSOLE-USB Console Cable 6 ft with USB Type A and mini-B
CAB-CONSOLE-RJ45	Cisco CAB-CONSOLE-RJ45 Console Cable 6ft with RJ45 and DB9F
GLC-SX-MM	GLC-SX-MM GE SFP, LC connector SX transceiver
GLC-LH-SM	1000BASE-LX/LH SFP for Both Multimode and Single-Mode Fibers
GLC-BX-D	1000BASE-BX SFP, 1490NM

GLC-BX-U	1000BASE-BX SFP, 1310NM
GLC-FE-100FX	100BASE-FX SFP for FE port
GLC-FE-100LX	100BASE-LX SFP for FE port
GLC-FE-100BX-D	100BASE-BX10-D SFP
GLC-FE-100BX-U	100BASE-BX10-U SFP

Compare to similar item

Table 3 shows the comparison between [WS-C2960C-8TC-S](#) and [WS-C2960C-8TC-L](#).

Models	WS-C2960C-8TC-S	WS-C2960C-8TC-L
Uplinks	2 x 1G copper or 2 x 1G SFP	2 x 1G copper or 2 x 1G SFP
Ports	8 x 10/100 Fast Ethernet	8 x 10/100 Fast Ethernet
Feature set	LAN Lite	LAN Base

Get more information

Do you have any question about the [WS-C2960C-8TC-L](#)?

Contact us now via [Live Chat](#) or sales@router-switch.com.

Specification

WS-C2960C-8TC-L Specification	
Manufacturer:	Cisco
Product ID:	WS-C2960C-8TC-L
Product Description:	2960C Switch 8 FE, 2 x Dual Purpose Uplink, LAN Base
Product Type:	Ethernet Switch
Marketing Information	
The Cisco Catalyst 3560-C and 2960-C Series compact switches are small form-factor Gigabit Ethernet and Fast Ethernet switches designed for deployments outside the wiring closet. Enterprise and commercial customers can deliver advanced security services, unified communications, wireless, IP video cameras, and other applications for the office workspace, branch office, classroom, cruise ship, and other wiring-constrained environments.	
Interfaces/Ports	
Total Number of Network Ports:	8
Token Ring Port:	No
LRE Port:	No
Uplink Port:	No
USB:	Yes
Number of RJ-45 Ports:	8
Media & Performance	
Ethernet Technology:	Gigabit Ethernet Fast Ethernet

Network Technology:	10/100/1000Base-T 10/100Base-TX
I/O Expansions	
Number of Total Expansion Slots:	2
Expansion Slot Type:	SFP
Shared SFP Slot:	Yes
Number of SFP Slots:	2
Network & Communication	
Layer Supported:	2
Management & Protocols	
Manageable:	Yes
Management:	DHCP QoS VLAN RMON 1,2,3,9 CiscoWorks LMS SNMP v1,v2c,v3 MIB Syslog Web-based Management CLI Telnet
Memory	
Standard Memory:	128 MB
Memory Technology:	DRAM
Flash Memory:	64 MB
Power Description	
PoE (RJ-45) Port:	Yes
Input Voltage:	110 V AC 220 V AC
Power Source:	Power Supply
Physical Characteristics	
Form Factor:	Rack-mountable Desktop Wall Mountable
Height:	1.8" (4.6 cm)
Width:	10.6" (26.9 cm)
Depth:	9.4" (23.9 cm)
Weight (Approximate):	4.10 lb (1.86 Kg)
Package Weight::	9.66 lb (4.38 Kg)

Download Resource

Transition Guide

 [Cisco Catalyst 2960/2960-SF/2960-S Series Transition Guide](#)

 [Guide to Upgrade Cisco Access and Backbone Switch](#)

 [Selecting Cisco Switches-Campus, Branch, Digital Building](#)

Want to Buy

[Order Now](#)

[Get a Quote](#)

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

Contact Us

- Tel: +1-626-239-8066 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com