

Width	17.3 in
Depth	10.12 in
Height	1.5 in
Weight	7.87 lbs
Mounting kit	Included
MTBF	277,653 hours
Compliant standards	UL 60950, FCC Part 15 A, CSA 22.3
Manufacturer Warranty	
Service and support	Limited lifetime warranty
Service and support details	Limited warranty - replacement - lifetime - response time: next business day Technical support - web support - 1 year Technical support - phone consulting - 1 year
Environmental Parameters	
Min operating temperature	32 -F
Max operating temperature	104 -F
Humidity range operating	10 - 90% (non-condensing)
Min storage temperature	-4 -F
Max storage temperature	158 -F
Humidity range storage	10 - 90% (non-condensing)

Download Resource

Transition Guide

 [Cisco SMB Switches Transition Guide](#)

Want to Buy

[Order Now](#)

[Get a Quote](#)

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold

18,000+

Customers Trusted

\$20,000,000

Inventory Available

50%-98%

Off Global List Price

100%

Safe Online Shopping

Contact Us

- Tel: +1-626-239-8066 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com