Designed with up-to-date technology and wizard-based utilities for a simple and secure access device that's easy to deploy and manage.



Support for your environment

The HP t5565 Thin Client with HP ThinPro operating system is an all-inclusive access device designed for business offering convenient access to Windows or Citrix environments, the most common VDI ecosystems, mainframes, mid-range servers, and UNIX/Linux hosts. HP ThinPro provides a single console interface with dashboard access to all user and administrative touch points. The t5565 includes dual monitor support, legacy ports, a secure USB compartment, Gigabit Ethernet support and a choice of client side or server based remote management solutions to simplify deployment and maintenance.

Fast setup, simple management

The HP EasyTools Setup Wizard takes the guess work out of thin client setup by streamlining configuration and management applications into easy-to-follow screens that help you choose the right configurations for your environment. Administration is further simplified with the HP ThinPro single console interface that provides visibility to all administrative touch points including user and administrator log ins. HP thin clients are easily managed remotely over the network, allowing administrators to capture a configuration profile or complete image from any HP t5565 and save it to a USB key or an HP ezUpdate repository. HP ezUpdate delivers automatic image updates, low bandwidth add-ons and configuration changes to like devices. HP Device Manager simplifies visibility and management for small and large deployments scattered across the most complex networks.

PC performance, energy efficiency built in

You'll experience traditional PC performance and multimedia playback while using less electricity. ENERGY STAR® qualified configurations help reduce power consumption. Connect to the latest in display technology with native dual-digital monitor support or connect to an analog monitor using the included DVI-I to VGA adapter. Standard configurations include 6 USB 2.0 ports (two are located in a secure USB compartment), a serial port, a parallel port, and a power cord retention slot. The HP t5550 is EPEAT® registered and BFR/PVC free ¹ to support your own environmental initiatives. The HP t5565 combines smart design with built-in efficiency.

Support beyond the box

With the HP t5565 Thin Client on the desktop, HP's proven portfolio of desktop-to-datacenter hardware, software and services will help you create a thin computing solution that improves your IT and user experiences. HP Thin Clients are backed by HP global service and support. You can also select from a range of HP Care Pack Services to extend your protection beyond the standard warranties ².





SPECIFICATIONS

Operating system Processor VIA Nano U3500 Processor (1.0 GHz) Video Integrated VIA Chromotion HD 2.0 I/O and peripheral support 6 USB 2.0; 1 serial; 1 parallel; 2 PS/2; 1 RJ-45; 1 DVI-I; 1 beadphone; 1 microphone in; 1 DVI-I (DVI-to-VGA adapter included); 2 of the 6 USB 2.0 are in secure compartment Connectivity 10/100/1000 Ethernet

Emulations

Dual monitor support

Software

HP ext Indigte: HP Easy Tools: HP Device Manager: HP Client Automation: Altiris support for managing mixed environments of HP and non-HP deskton.

HP ezUpdate; HP Easy Tools; HP Device Manager; HP Client Automation; Altiris support for managing mixed environments of HP and non-HP desktop environments (no Altiris license included); VNC – Remote shadowing; Debian Package Manager with Simplified GUI

Dimensions (W x D x H) 5.84 x 21.59 x 20.95 cm

 Weight
 Starting at 1.36 kg

 Power
 Worldwide auto-sensing 65W, 100-240 VAC, 50-60 Hz

Environmental ENERGY STAR® qualified and EPEAT® registered

Warranty 3 years pickup and return service (Certain restrictions apply)

Warranty 3 years pick-up and return service (Certain restrictions apply)

1 HP 15550, HP 15565, and HP 15570 thin clients are brominated flame retardant and polyvinyl chloride free (BFR/PVC-free)
meeting the evolving definition of "BFR/PVC-free" as set forth in the "iNEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1,000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1,000 ppm (0.1 percent) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total <1,500 ppm (0.15 percent) with a maximum chlorine of 900 ppm (0.09

percent) and maximum bromine being 900 ppm (0.09 percent). Service parts after purchase may not be BFR/PVC free. Power supply, power cords, keyboard, mouse, and DVI-to-VGA adapter are not BFR/PVC free. Power supply, power cords, keyboard, mouse, and DVI-to-VGA adapter are not BFR/PVC free. Power supply from the product of the product

For more information, please visit www.hp.com/eur/thinclients

Accessories and Services

HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

HP Integrated Work Center Stand



Easily attach a 17-, 19-, or 22-inch HP LCD monitor and an HP Compaq dc7800 Ultra-slim Desktop PC or HP Thin Client on a single stand for the convenience of an "all-in-one" form factor [1] for the exact desktop configuration you need. IWC stand GN783AA and GN783AT now includes the 8000 series rear panel cover, so it does not need to be ordered separately on top.

Product number: GN783AA

HP USB Smart Card Keyboard



An innovative full-sized keyboard that uses Smartcard technology to prevent unauthorised access to your desktop PC and business networks.

Product number: ED707AA

HP Kensington MicroSaver Security Cable Lock



Peace of mind in an instant. This handy cable lock device attaches itself to your hardware and is then secured to an anchor point in your workspace, ensuring your hardware remains exactly where it should.

Product number: PC766A

3-year next business day exchange



HP provides quick replacement of your failed hardware unit the day after it goes down, if the problem can't be resolved remotely

Product number: U4847E

³ Units sold separately.