

Get a Quote

Overview

The Cisco 2900 series integrated services router offers embedded hardware encryption acceleration, voice- and video-capable Digital Signal Processor (DSP) slots, intrusion prevention, call processing, voice mail, and application services. CISCO2911-SEC/K9 is almost the same as CISCO2911, except that it offers Security bundle.

Quick Specs

Figure 1 shows the front view of CISCO2911-SEC/K9.




Table 1 shows the Quick Specs of the CISCO2911-SEC/K9.

Product Code	CISCO2911-SEC/K9
Bundle	Security Bundle w/SEC license PAK
Rack Units	2RU
Interfaces	3 integrated 10/100/1000 Ethernet ports (RJ-45 only)
Expansion Slot(s)	1 service module slot 1 Internal Service Module slot 2 onboard digital signal processor (DSP) slots 4 enhanced high-speed WAN interface card slots
RAM	512 MB (installed) / 2 GB (max)
Flash Memory	256 MB (installed) / 8 GB (max)
Dimensions	43.8 cm x 30.5 cm x 8.9 cm
Package Weight	16.15 Kg

Product Details


Figure 2 shows the ports on the back panel of CISCO2911-SEC/K9.



Note:

- (1) EHWIC slots 0, 1, 2, and 3 (0, Far right)
- (2) USB serial port
- (3) AUX
- (4) 10/100/1000 Ethernet port (GE0/2)
- (5) 10/100/1000 Ethernet port (GE0/0)
- (6) CompactFlash 0 and 1 (0, Right)
- (7) Service module slot 1
- (8) AC, DC, AC-POE, or DC-POE Power Module
- (9) RJ-45 serial console port
- (10) 10/100/1000 Ethernet port (GE0/1)
- (11) USB 0
- (12) USB 1
- (13) Ground

Figure 3 shows the LEDs on the back panel of CISCO2911-SEC/K9.



Note:

- (1) CompactFlash 0 and 1 (0, Far right)
- (2) ISM (6) S (Speed)
- (3) PVD M3
- PVD M0, 1, (0, Far right LED) (7) L (Link)
- (4) EN (Enable USB console)
- (5) EN (Enable RJ-45 console)

The Modules and Cards

Table 2 shows some recommended modules and cards for this router.

Models	Description
SM-ES3G-16-P	Enhanced EtherSwitch Service Module, L2/L3 switching, 16* 10/100/1000 GE ports, Enhanced POE, Cisco EnergyWise technology

SM-ES3G-24-P	Enhanced EtherSwitch Service Module, L2/L3 switching, 24 * 10/100/1000 GE ports, Enhanced POE, Cisco EnergyWise technology
VVIC3-2MFT-G703	Cisco Voice/WAN Card VVIC3-2MFT-G703
HWIC-2T	2-Port Serial WAN Interface Card Cisco Router High-Speed WAN Interface card
EHWIC-1GE-SFP-CU	Cisco 1900, 2900, 3900 Router EHWIC WAN Card EHWIC-1GE-SFP-CU
EHWIC-4ESG	Four port 10/100/1000 Base-TXGigabit Ethernet switch interface card for Cisco1900 2900 3900Routers
ISM-SRE-300-K9	Internal Services Module (ISM) with Services Ready Engine
PVDM3-16	16-channel high-density voice DSP module
MEM-CF-256U1GB	256MB to 1GB Compact Flash Upgrade for Cisco 1900,2900,3900
MEM-CF-256U2GB	256MB to 2GB Compact Flash Upgrade for Cisco 1900,2900,3900
MEM-CF-256U512MB	256MB to 512MB CF Upgrade for Cisco 1900,2900,3900 ISR
MEM-CF-256U4GB	256MB to 4GB Compact Flash Upgrade for Cisco 1900,2900,3900
MEMUSB-1024FT	1GB USB Flash Token

Get more information

Do you have any question about the CISCO2911-SEC/K9?

Contact us now via [Live Chat](#) or sales@router-switch.com.

Specification

CISCO2911-SEC/K9 Specification	
Manufacturer	Cisco Systems, Inc
Manufacturer Part Number	CISCO2911-SEC/K9
Product Type	Router
Form Factor	External - modular - 2U
Dimensions (WxDxH)	43.8 cm x 30.5 cm x 8.9 cm
Weight	8.2 kg
DRAM Memory	512 MB (installed) / 2 GB (max)
Flash Memory	256 MB (installed) / 8 GB (max)
Routing Protocol	OSPF, IS-IS, BGP, EIGRP, DVMRP, PIM-SM, IGMPv3, GRE, PIM-SSM, static IPv4 routing, static IPv6 routing
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet
Network / Transport Protocol	IPSec
Remote Management Protocol	SNMP, RMON

CISCO2911-SEC/K9 Specification

Features	Firewall protection, hardware encryption, VPN support, MPLS support, Syslog support, content filtering, IPv6 support, Class-Based Weighted Fair Queuing (CBWFQ), Weighted Random Early Detection (WRED), Dynamic Multipoint VPN (DMVPN)
Compliant Standards	IEEE 802.1Q, IEEE 802.3af, IEEE 802.3ah, IEEE 802.1ah, IEEE 802.1ag
Power	AC 120/230 V (50/60 Hz)
Manufacturer Warranty	90 days warranty

Download Resource

Support and Resources

 [Cisco 2900 Series Router Datasheet.pdf](#)

 [Cisco ISR 4451-X vs. ISR 3900 vs. ISR 2900 vs. ISR 1900](#)

Transition Guide

 [Guide to Upgrade Your ISR G1 and ISR G2 Routers to ISR 4000](#)

Want to Buy

[Order Now](#)

[Get a Quote](#)

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

Contact Us

- Tel: +1-626-239-8066 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com